



LEX TEC INC.
Cables & Networks
 lextec.com 1-800-665-9619

24-3251 Kennedy Road
Toronto: 416-292-9979
Fax: 416-292-1524
lextec@lextec.com

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Powerware 3105 2 Year Limited Warranty, 5 Year pro-rated with registration, \$25,000 protection guarantee								
UPS	PW3105-500	103004247-5591	500VA / 300W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup. Full/Half Load runtime: 3 / 11 minutes.	3105 WebSite	120	120	7 x 11 x 4.4 @ 11.7 lbs	\$80
UPS	PW3105-700	103004248-5591	700VA / 420W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup. Full/Half Load runtime: 3 / 9 minutes.	3105 WebSite	120	120	7 x 11 x 4.4 @ 14.5 lbs	\$125
Powerware 5110 2 Year Limited Warranty, 5 Year pro-rated with registration, \$150,000 protection guarantee								
UPS	PW5110-500	103004256-5591	500VA / 300W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup & Surge. Full/Half Load runtime: 3 / 11 minutes.	5110 WebSite	120	120	10.6 x 3.4 x 10.2 @ 12.1lbs	\$150
UPS	PW5110-700	103004257-5591	700VA / 420W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup & Surge. Full/Half Load runtime: 3 / 9 minutes.	5110 WebSite	120	120	10.6 x 3.4 x 10.2 @ 15.2lbs	\$180
UPS	PW5110-1000	103004258-5591	100VA / 600W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup & Surge. Full/Half Load runtime: 5 / 17 minutes.	5110 WebSite	120	120	10.6 x 3.4 x 15.1 @ 28.0lbs	\$295
UPS	PW5110-1500	103004259-5591	1440VA / 900W, 120V 5-15P Input Line cord, (8) 5-15R output receptacles. 4 Surge Only, 4 Battery backup & Surge. Full/Half Load runtime: 4 / 12 minutes.	5110 WebSite	120	120	10.6 x 3.4 x 15.1 @ 29.1lbs	\$365
Powerware 5115 2 Year Limited Warranty, 10 Year pro-rated with registration, \$150,000 protection guarantee								

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW5115-500-USB	05146548-5591	500VA / 320W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime : 5 / 13 minutes	5115 WebSite	120	120	7.6 x 5.9 x 10.6 @ 17.2 lbs	\$285
UPS	PW5115-750-USB	05146554-5591	750VA / 500W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime 6 / 15 minutes	5115 WebSite	120	120	7.6 x 5.9 x 13.2 @ 27.3 lbs	\$410
UPS	PW5115-1000-USB	05146560-5591	1000VA / 670W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 15 minutes	5115 WebSite	120	120	7.6H x 5.9 x 13.2 @ 27.8 lbs	\$540
UPS	PW5115-1400-USB	05146566-5591	1400VA / 950W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 15 minutes	5115 WebSite	120	120	7.6 x 5.9 x 15.4 @ 37 lbs	\$655
<h2>Powerware 5115 Rack-Mount (1U)</h2> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$150,000 protection guarantee</p>								
UPS	PW5115-500RM	103003266-6591	500VA / 320W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 13 minutes	5115RM WebSite	120	120	1.75 x 17.3 x 22.8 @ 35.2 lbs	\$295
UPS	PW5115-750RM	103003269-6591	750VA / 520W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime: 6 / 15 minutes	5115RM WebSite	120	120	1.75 x 17.3 x 22.8 @ 41.4 lbs	\$595
UPS	PW5115-1000RM	103003272-6591	1000VA / 670W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 15 minutes	5115RM WebSite	120	120	1.75 x 17.3 x 22.8 @ 41.4 lbs	\$740
UPS	PW5115-1500RM	103003275-6591	1440VA / 1000W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 15 minutes	5115RM WebSite	120	120	1.75 x 17.3 x 22.8 @ 48.6 lbs	\$845
<h2>Powerware 5125 Tower (1000 - 2200 VA)</h2> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$150,000 protection guarantee</p>								
UPS	PW5125-1000	05146629-5591	1000VA / 700W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 14 minutes	125Tower WebSite	120	120	9.45 x 6.38 x 15.79 @ 34.3 lbs	\$600

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW5125-1500	05146632-5591	1440VA / 1050W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 17 minutes	125Tower WebSi	120	120	9.84 x 6.38 x 18.39 @ 50.7 lbs	\$725
UPS	PW5125-2200	05146635-5591	1920VA / 1600W, 120V 5-20P Input Line Cord, (6) 5-15R & (2) 5-20R Ouput receptacles. Full/Half Load runtime: 5 / 14 minutes	125Tower WebSi	120	120	9.84 x 8.07 x 19.41 @ 68.3 lbs	\$1,090
UPS	PW5125-2200b	05146636-5591	2080VA / 1600W, 208V IEC-C14 15A Inlet, (9) IEC-320 C13 10A Outlets. Full/Half Load runtime: 5 / 14 minutes	125Tower WebSi	230	230	9.84 x 8.07 x 19.41 @ 68.3 lbs	\$1,440
Options	PW5125-BATT	05146638-5591	BATTERY MODULE PW5125 1000VA Tower 24V EBM				9.84 x 6.38 x 18.66 @ 59.5 lbs	\$450
Options	PW5125-BATT	05146639-5591	BATTERY MODULE PW5125 1500/2200 Tower 48V EBM				9.84 x 6.38 x 18.66 @ 59.5 lbs	\$500
<h2>Powerware 5¹²⁵RM</h2> <h3>(1000 - 3000 VA)</h3> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$150,000 protection guarantee</p>								
UPS	PW5125-1000-RM	05146666-6501	1000VA / 900W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 7 / 19 minutes	5125RM WebSite	120	120	3.5 (2U) x 17.0 x 19.4 @ 61 lbs	\$750
UPS	PW5125-1500-RM	05146669-6501	1440VA / 1340W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 13 minutes	5125RM WebSite	120	120	3.5 (2U) x 17.0 x 19.4 @ 61 lbs	\$895
UPS	PW5125-2400-RM	05147564-6501	2400VA / 2250W, 120V L5-30P Input Line Cord, (1) L5-30R & (6) 5-15R Ouput receptacles. Full/Half Load runtime: 7 / 19 minutes	5125RM WebSite	120	120	3.5(2U) x 19.0 x 24.5 @ 89 lbs	\$1,440
UPS	PW5125-3000-RM	05147152-6501	2880VA / 2700W, 120V L5-30P Input Line Cord, (1) L5-30R & (6) 5-15R Ouput receptacles. Full/Half Load runtime: 5 / 15 minutes	5125RM WebSite	120	120	3.5(2U) x 19.0 x 24.5 @ 89 lbs	\$1,690
Options	PW5125RM-BATT	05147148-6591	BATTERY MODULE PW5125RM 1000/1500 EBM 48V				3.5 x 19.0 x 19.4 @ 65 lbs	\$640
Options	PW5125RM-BATT	05147156-6591	BATTERY MODULE PW5125RM 2400/3000 EBM 120V				3.5 x 19.0 x 24.5 @ 121 lbs	\$895
Options	PW5125RM-OPT	05146726-5591	OPTION PW5125RM (PW9125) 1000 - 3000VA 2-Post Rail Kit				Fits 19-inch racks	\$105
Options	PW5125RM-OPT	05141562-0091	OPTION PW5125RM (PW9125) 1000 - 3000VA 4-Post Rail Kit				Fits 19-inch racks	\$105

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW5125RM-OPT	05146871-5501	OPTION PW5125RM 1000/1500VA 3-Slot Seismic Mounting Kit					\$575
Options	PW5125RM-OPT	05146875-5501	OPTION PW5125RM 1000/1500VA 5-Slot Seismic Mounting Kit					\$635
Options	PW5125RM-OPT	05146519-001	OPTION PW5125RM (9125RM) 700/1500 VA PowerPass, 5-15P Input, (6) 5-15R outlets with (1) 5-15R Surge Only outlet for Laser Printer				3.5 (2U) x 11 x 4.5 @ 2.5 lbs	\$276
<h2>Powerware 5125 Rack-Mounted 5000/6000VA</h2> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$150,000 protection guarantee</p>								
UPS	PW5125-5000	103003611-5591	5000VA / 4500W, High voltage 200-240V L6-30P Input Line Cord, (2) L6-20R, (4) IEC C13 output receptacles with (1) L6-30R on short cord Full/Half Load runtime: 7 / 19 minutes	5125RM WebSite	208	208	5.25 (3U) x 17.50 x 26.0 @ 161 lbs	\$3,460
UPS	PW5125-5000-WEB	103003611-5597	5000VA / 4500W, High voltage 200-240V L6-30P Input Line Cord, (2) L6-20R, (4) IEC C13 output receptacles with (1) L6-30R on short cord Installed web/SNMP/xHub Card. Full/Half Load runtime: 7 / 19 minutes	5125RM WebSite	208	208	5.25 (3U) x 17.50 x 26.0 @ 161 lbs	\$3,830
UPS	PW5125-6000-HW	103003610-5591	6000VA / 5400W, High voltage 200-240V HardWired Input Block, Hardwired Output block & (4)IEC C13, & (4)IEC C19 Output receptacles. Full/Half Load runtime: 5 / 15 minutes	5125RM WebSite	208	208	5.25 (3U) x 17.50 x 26.0 @ 161 lbs	\$3,805
UPS	PW5125-6000-HW-WEB	103003610-5597	6000VA / 5400W, High voltage 200-240V HardWired Input Block, Hardwired Output block & (4)IEC C13, & (4)IEC C19 Output receptacles. Installed web/SNMP/xHub Card. Full/Half Load runtime: 5 / 15 minutes	5125RM WebSite	208	208	5.25 (3U) x 17.50 x 26.0 @ 161 lbs	\$4,175
UPS i	PW5125-6000i-	103003612-5591	INTERNATIONAL 6000VA / 4500W, High voltage 200-240V, IEC309-32A Input, IEC-309-32A output short cord & (4)IEC C13, (4)IEC C19 Outlets. Full/Half Load runtime: 5 / 15 minutes	5125RM WebSite	230	230	5.25 (3U) x 17.50 x 26.0 @ 161 lbs	\$3,805
Options	PW5125RM-BATT	103003387-6591	BATTERY MODULE PW5125RM 5/6000VA EBM 240V Black				5.25(3U) x 17.0 x 26.0 @ 169 lbs	\$960
Options	PW5125RM-OPT	103004652-5501	OPTION PW5125RM 5000VA PowerPass, L6-30P connection to UPS, with (1)L5-30R, (2)L6-20R, (8)5-15R, (4)IEC-C13 outlets				5.25(3U) x 17.37 x 24.8 @ 106 lbs	\$1,235

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW5125RM-OPT	103004652-5503	OPTION PW5125RM 5000VA PowerPass, L6-30P connection to UPS, with (2)L6-20R, (20)5-15R, (4)IEC-C13 outlets				(5.25 + 1.65) x 17.37 x 24.8 @ 117 lbs	\$1,600
Service	PW5125RM--SERV	3XXGX51256000CX	SERVICE PW5125RM 5/6000 VA Domestic - 3 Year Gold Plan	Service Plans				\$340
Service	PW5125RM--SERV	5XXGX51256000CX	SERVICE PW5125RM 5/6000 VA Domestic - 5 Year Gold Plan	Service Plans				\$745
Service	PW5125RM--SERV	3XXGX5125B240CX	SERVICE PW5125RM 5/6000 EBM 240V Domestic - 3 Year Gold Plan	Service Plans				\$440
Service	PW5125RM--SERV	5XXGX5125B240CX	SERVICE PW5125RM 5/6000 EBM 240V Domestic - 5 Year Gold Plan	Service Plans				\$1,095
Battery	PW5125RM-BATT	453302037-002	BATTERY REPLACEMENT PW5125RM 5/6000 VA Require QTY 20				5 lbs each	\$24
Battery	PW5125RM-BATT	58700036-001	BATTERY REPLACEMENT PW5125RM 5/6000 EBM 240V Require QTY 20				7 lbs each	\$40
<h2>Powerware 9120</h2> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$250,000 protection guarantee</p>								
UPS	PW9120-700	05147356-5591	700VA / 490W, 120V 5-15P Input Line Cord, (4) 5-15R Ouput receptacles. Full/Half Load runtime: 7 / 18 minutes	9120 WebSite	120	120	9.6 x 6.2 x 16.2 @ 29 lbs	\$810
UPS	PW9120-1000	05147357-5591	1000VA / 700W, 120V 5-15P Input Line Cord, (4) 5-15R & (2) 5-20R Ouput receptacles. Full/Half Load runtime: 7 / 18 minutes	9120 WebSite	120	120	9.6 x 6.2 x 16.2 @ 35.5 lbs	\$1,025
UPS	PW9120-1500	05147358-5591	1500VA / 1050W, 120V 5-15P Input Line Cord, (4) 5-15R & (2) 5-20R Ouput receptacles. Full/Half Load runtime: 7 / 18 minutes	9120 WebSite	120	120	10.8 x 6.7 x 17.5 @ 46.5 lbs	\$1,410
UPS	PW9120-2000	05147359-5591	2000VA / 1400W, 120V 5-20P Input Line Cord, (6) 5-20R Ouput receptacles. Full/Half Load runtime: 12 / 34 minutes	9120 WebSite	120	120	14.2 x 8.6 x 18.6 @ 82 lbs	\$1,920
UPS	PW9120-3000	05147360-5591	3000VA / 2100W, 120V L5-30P Input Line Cord, (4) 5-15R, (2) 5-20R & (1) L5-30R Ouput receptacles. Full/Half Load runtime: 6 / 15 minutes	9120 WebSite	120	120	14.2 x 8.6 x 18.6 @ 89 lbs	\$3,075
UPS	PW9120-3000H	05147547-5591	3000VA / 2100W, 120V HardWired Input Block, HardWired Output block. Full/Half Load runtime: 6 / 15 minutes	9120 WebSite	120	120	14.2 x 8.6 x 18.6 @ 89 lbs	\$3,075
UPS	PW9120-3000B	05147548-5591	3000VA / 2100W, 208V L6-20P Input Line Cord, (2) L6-15R, (1) L6-20R & (1) L6-30R Ouput receptacles. Full/Half Load runtime: 6 / 15 minutes	9120 WebSite	208	208	14.2 x 8.6 x 18.6 @ 89 lbs	\$3,075
Options	PW9120-BATT	05147366-5592	BATTERY MODULE PW9120 BATT 700				9.6 x 6.2 x 16.2 @ 31 lbs	\$550

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9120-BATT	05147367-5592	BATTERY MODULE PW9120 BATT 1000				9.6 x 6.2 x 16.2 @ 44 lbs	\$555
Options	PW9120-BATT	05147368-5592	BATTERY MODULE PW9120 BATT 1500				10.8 x 6.7 x 17.5 @ 57 lbs	\$675
Options	PW9120-BATT	05147369-5592	BATTERY MODULE PW9120 BATT 2000/3000				14.2 x 8.6 x 18.6 @ 110 lbs	\$935
Service	PW9120-SERV	2XXGX91201500CX	SERVICE PW9120 700 - 1500 Domestic - 2 Year Gold Plan	Service Plans				\$60
Service	PW9120-SERV	3XXGX91201500CX	SERVICE PW9120 700 - 1500 Domestic - 3 Year Gold Plan	Service Plans				\$205
Service	PW9120-SERV	5XXGX91201500CX	SERVICE PW9120 700 - 1500 Domestic - 5 Year Gold Plan	Service Plans				\$335
Service	PW9120-SERV	2XXGX91203000CX	SERVICE PW9120 2000/3000 Domestic - 2 Year Gold Plan	Service Plans				\$105
Service	PW9120-SERV	3XXGX91203000CX	SERVICE PW9120 2000/3000 Domestic - 3 Year Gold Plan	Service Plans				\$295
Service	PW9120-SERV	5XXGX91203000CX	SERVICE PW9120 2000/3000 Domestic - 5 Year Gold Plan	Service Plans				\$490
Service	PW9120-SERV	2XXGX9120B150CX	SERVICE PW9120 BATT 700 - 1500 Domestic - 2 Year Gold Plan	Service Plans				\$50
Service	PW9120-SERV	3XXGX9120B150CX	SERVICE PW9120 BATT 700 - 1500 Domestic - 3 Year Gold Plan	Service Plans				\$250
Service	PW9120-SERV	5XXGX9120B150CX	SERVICE PW9120 BATT 700 - 1500 Domestic - 5 Year Gold Plan	Service Plans				\$490
Service	PW9120-SERV	2XXGX9120B300CX	SERVICE PW9120 BATT 2200/3000 Domestic - 2 Year Gold Plan	Service Plans				\$105
Service	PW9120-SERV	3XXGX9120B300CX	SERVICE PW9120 BATT 2200/3000 Domestic - 3 Year Gold Plan	Service Plans				\$500
Service	PW9120-SERV	5XXGX9120B300CX	SERVICE PW9120 BATT 2200/3000 Domestic - 5 Year Gold Plan	Service Plans				\$995
<p>Powerware 9¹²⁵ 700-3000 VA 2 Year Limited Warranty, 10 Year pro-rated with registration, \$250,000 protection guarantee</p>								
UPS	PW9125-700-	05146012-6501	700VA / 490W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full Load runtime: 9 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 34 lbs	\$960
UPS	PW9125-1000-	05146002-6501	1000VA / 700W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full Load runtime: 5 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 34 lbs	\$1,155

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW9125-1500	05146005-6501	1500VA / 1050W, 120V 5-15P Input Line Cord, (6) 5-15R Ouput receptacles. Full Load runtime: 8 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 50 lbs	\$1,535
UPS	PW9125-2000-	05146001-6501	2000VA / 1400W, 120V 5-20P Input Line Cord, (6) 5-15R Ouput receptacles. Full Load runtime: 5 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 50 lbs	\$2,050
UPS	PW9125-2000-20R-	05146001-6506	2000VA / 1400W, 120V 5-20P Input Line Cord, (4) 5-15R & (2) 5-20R Ouput receptacles. Full Load runtime: 5 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 50 lbs	\$2,050
UPS	PW9125-2500U	103002716-6591	2500VA / 1750W, 120V L5-30P Input Line Cord, (2) 5-15R, (2) 5-20R & (1) L5-30R Ouput receptacles. Full Load runtime: 7 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$2,905
UPS	PW9125-3000U	103002717-6591	3000VA / 2100W, 120V L5-30P Input Line Cord, (2) 5-15R, (2) 5-20R & (1) L5-30R Ouput receptacles. Full Load runtime: 5 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$3,455
UPS	PW9125-2200-WEB	103005652-6597	2200VA / 1600W, 120V 5-20P Input Line Cord, (4) 5-20R Ouput receptacles. Includes pre-Installed Web/SNMP Card. Full Load runtime: 9 minutes	9125 WebSite	120	120	3.5(2U) x 17.0 x 19.4 @ 81.5 lbs	\$2,480
UPS	PW9125-2500G	103004340-6591	2500VA / 1750W, 208V L6-20P Detachable Input Line Cord, (4) IEC320-C13 & (1) IEC320-C19 Ouput receptacles. Full Load runtime: 7 minutes	9125 WebSite	208	208	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$2,905
UPS	PW9125-3000G	103002728-6591	3000VA / 2100W, 208V L6-20P Detachable Input Line Cord, (4) IEC320-C13 & (1) IEC320-C19 Ouput receptacles. Full Load runtime: 5 minutes	9125 WebSite	208	208	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$3,455
UPS	PW9125-2500G-HW	103004341-6591	2500VA / 1750W, 208V HardWired Input Block, HardWired Output block Full Load runtime: 7 minutes	9125 WebSite	208	208	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$2,905
UPS	PW9125-3000G-HW	103004342-6591	3000VA / 2100W, 208V HardWired Input Block, HardWired Output block Full Load runtime: 5 minutes	9125 WebSite	208	208	3.5(2U) x 17.0 x 23.9 @ 81.5 lbs	\$3,455
Options	PW9125-OPT	05146519-091	OPTION PW9125RM (5125RM) 700/1500 VA PowerPass, 5-15P Input, (6) 5-15R outlets with (1) 5-15R Surge Only outlet for Laser Printer		120	120	3.5 (2U) x 11 x 4.5 @ 2.5 lbs	\$350
Options	PW9125-OPT	05146520-001	OPTION PW9125RM 2000 VA PowerPass, 5-20P Input, (6) 5-15R outlets		120	120	3.5 (2U) x 11 x 4.5 @ 2.5 lbs	\$350
Options	PW9125-OPT	05146519-092	OPTION PW9125RM INTERNATIONAL 230V 700 - 2000 VA PowerPass, IEC-C14 Input, (6)IEC-C13 Outlets with (1) IEC-C13 Surge Only outlet for Laser Printer		230	230	3.5 x 11.0 x 4.5 @ 2.5 LBS	\$350
Options	PW9125-OPT	103002742-6591	OPTION PW9125 PDM2-LV-US-P1, 2500/3000 VA PowerPass. 6-ft, L5-30P attached power cord, (6) 5-20R, (1) L5-30R output receptacles. Use with 2500U & 3000U				3.0 x 17.0 x 23.9 @ 20 lbs	\$1,155

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9125-OPT	103002733-6591	OPTION PW9125 PDM2-HV-US-P1, 2500/3000 VA Powerpass. 16A, IEC 320-C20 input connector Country-specific, detachable power cord, (1) L6-30R output receptacle Use with 2500U & 3000U				3.0 x 17.0 x 23.9 @ 20 lbs	\$1,155
Options	PW9125-OPT	103002735-6591	OPTION PW9125 PDM2-LV-US-HW, 2500/3000 VA Powerpass. Hardwired Input and Output. Use with 2500U & 3000U				3.0 x 17.0 x 23.9 @ 20 lbs	\$1,155
Options	PW9125-OPT	103002739-6501	OPTION PW9125 PDM1-HV-US-P1, 2500/3000 VA Powerpass. 16A, IEC 320-C20 input connector detachable power cord, (6) 5-20R, (1) L14-30R output receptacles. Use with 2500G & 3000G				3.0 x 17.0 x 23.9 @ 20 lbs	\$1,155
Options	PW9125-OPT	05146726-5591	OPTION PW9125RM (PW5125) 1000 - 3000VA 2-Post Rail Kit				Fits 19-inch racks	\$135
Options	PW9125-OPT	05141562-0091	OPTION PW9125RM (PW5125) 1000 - 3000VA 4-Post Rail Kit				Fits 19-inch racks	\$135
Options	PW9125-OPT	05146871-5501	OPTION PW9125RM 1000/1500VA 3-Slot Seismic Mounting Kit					\$635
Options	PW9125-OPT	05146875-5501	OPTION PW9125RM 1000/1500VA 5-Slot Seismic Mounting Kit					\$700
Options	PW9125-OPT	103005156	OPTION PW9125 2500/3000 4-Post Mounting Rail Kit					\$135
Options	PW9125-OPT	05146502-6591	BATTERY MODULE PW9125 700/1000 EBM 24V				3.5 x 19.0 x 19.4 @ 65 lbs	\$620
Options	PW9125-OPT	05146074-6591	BATTERY MODULE PW9125 1250,1500,2000 EBM 48V				3.5 x 19.0 x 19.4 @ 65 lbs	\$770
Options	PW9125-OPT	103002836-6591	BATTERY MODULE PW9125 2500 & 3000 EBM 72V				3.5 x 17.0 x 23.9 @ 93 lbs	\$835
Options	PW9125-OPT	124100014-002	BATTERY CABINET PW9125 1250-2000 (Beige) EBC48V				17.2 x 24.6 x 28.3 @ 330 lbs	\$5,760
Options	PW9125-OPT	103003627-5501	BATTERY CABINET PW9125 2500/3000 (Beige) EBC72V				17.2 x 24.6 x 28.3 @ 330 lbs	\$5,380
Service	PW9125-SERV	2XXGX91252000CX	SERVICE PW9125 700 - 2000 Domestic - 2 Year Gold Plan	Service Plans				\$70
Service	PW9125-SERV	3XXGX91252000CX	SERVICE PW9125 700 - 2000 Domestic - 3 Year Gold Plan	Service Plans				\$195
Service	PW9125-SERV	5XXGX91252000CX	SERVICE PW9125 700 - 2000 Domestic - 5 Year Gold Plan	Service Plans				\$290
Service	PW9125-SERV	2XXGX91253000CX	SERVICE PW9125 2500/3000 Domestic - 2 Year Gold Plan	Service Plans				\$105
Service	PW9125-SERV	3XXGX91253000CX	SERVICE PW9125 2500/3000 Domestic - 3 Year Gold Plan	Service Plans				\$330

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9125-SERV	5XXGX91253000CX	SERVICE PW9125 2500/3000 Domestic - 5 Year Gold Plan	Service Plans				\$565
Service	PW9125-SERV	2GPPX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 2 Year Gold Plan Plus	Service Plans				\$1,020
Service	PW9125-SERV	3GPPX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 3 Year Gold Plan Plus	Service Plans				\$1,275
Service	PW9125-SERV	5GPPX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 5 Year Gold Plan Plus	Service Plans				\$1,630
Service	PW9125-SERV	2OSGX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 2 Year Onsite (250km, 7X24) Gold Plan	Service Plans				\$1,335
Service	PW9125-SERV	3OSGX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 3 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$1,680
Service	PW9125-SERV	5OSGX91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 5 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$2,100
Service	PW9125-SERV	2OSGP91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 2 Year Onsite (250km, 7X24) Gold Plan Plus	Service Plans				\$2,075
Service	PW9125-SERV	3OSGP91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 3 Year OnSite (250km, 7X24) Gold Plan Plus	Service Plans				\$2,650
Service	PW9125-SERV	5OSGP91253000CX	SERVICE PW9125 2500/3000 (Hardwired) Domestic - 5 Year OnSite (250km, 7X24) Gold Plan Plus	Service Plans				\$3,330
Service	PW9125-SERV	2XXGX9125BM48CX	SERVICE PW9125 EBM 24 & 48V - 2 Year Gold Plan	Service Plans				\$75
Service	PW9125-SERV	3XXGX9125BM48CX	SERVICE PW9125 EBM 24 & 48V - 3 Year Gold Plan	Service Plans				\$165
Service	PW9125-SERV	5XXGX9125BM48CX	SERVICE PW9125 EBM 24 & 48V - 5 Year Gold Plan	Service Plans				\$250
Service	PW9125-SERV	2XXGX9125BM72CX	SERVICE PW9125 EBM 72V - 2 Year Gold Plan	Service Plans				\$75
Service	PW9125-SERV	3XXGX9125BM72CX	SERVICE PW9125 EBM 72V - 3 Year Gold Plan	Service Plans				\$460
Service	PW9125-SERV	5XXGX9125BM72CX	SERVICE PW9125 EBM 72V - 5 Year Gold Plan	Service Plans				\$915
Service	PW9125-SERV	3XXGX9125BC48CX	SERVICE PW9125 EBC 48V - 3 Year Gold Plan	Service Plans				\$1,190
Service	PW9125-SERV	5XXGX9125BC48CX	SERVICE PW9125 EBC 48V - 5 Year Gold Plan	Service Plans				\$2,300
Service	PW9125-SERV	3XXGX9125BC72CX	SERVICE PW9125 EBC 72V - 3 Year Gold Plan	Service Plans				\$995
Service	PW9125-SERV	5XXGX9125BC72CX	SERVICE PW9125 EBC 72V - 5 Year Gold Plan	Service Plans				\$1,930
<p>Powerware 9125RM 5000-6000 VA 2 Year Limited Warranty, 10 Year pro-rated with registration, \$250,000 protection guarantee</p>								
UPS	PW9125-5000g-HW-	103003623-6591	5000VA / 3500W, Selectable 208-240V Hardwired Input, Hardwired Output. PPDM options Not Applicable. Full Load / Half Load runtime: 13 / 32 minutes	9125RM WebSite	208	208	8.75(5U) x 17.4 x 24.9 @ 206 lbs	\$4,675

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW9125-5000g	103003633-6591	5000VA / 3500W, Selectable 208-240V L6-30P Input Line Cord, (1) L6-30R Output receptacle (for. PPDM options). Full Load / Half Load runtime: 13 / 32 minutes	9125RM WebSite	208	208	8.75(5U) x 17.4 x 24.9 @ 206 lbs	\$4,735
UPS	PW9125-6000g-HW	103003625-6591	6000VA / 4200W, Selectable 208-240V Hardwired Input, Hardwired Output. PPDM options Not Applicable. Full Load / Half Load runtime: 10 / 34 minutes	9125RM WebSite	208	208	8.75(5U) x 17.4 x 24.9 @ 206 lbs	\$5,440
UPS	PW9125-6000g	103003635-6591	6000VA / 4200W, Selectable 208-240V L6-30P Input Line Cord, (1) L6-30R Output receptacle (for. PPDM options). Full Load / Half Load runtime: 10 / 34 minutes	9125RM WebSite	208	208	8.75(5U) x 17.4 x 24.9 @ 206 lbs	\$5,505
UPS	PW9125-6000g-FC	103003636-6501	6000VA / 4200W, with Frequency Conversion, Selectable 208-240V L6-30P Input Line Cord, (1) L6-30R Output receptacle (for PPDM options). Full Load / Half Load runtime: 10/ 34 minutes	9125RM WebSite	208	208	8.75(5U) x 17.4 x 24.9 @ 206 lbs	\$5,635
Options	PW9125-5/6000-OPT	103003214-6501	OPTION PW9125 5/6000 PPDM, L6-30, External Bypass with L6-30P Input from source, and (1) L6-30R, (8) 5-15R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6502	OPTION PW9125 5/6000 PPDM, L6-20, External Bypass with L6-30P Input from source, and (1) L6-20R, (8) 5-15R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6503	OPTION PW9125 5/6000 PPDM, L6-30, External Bypass with L6-30P Input from source, and (1) L5-30R, (8) 5-15R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6504	OPTION PW9125 5/6000 PPDM, L14-30, External Bypass with L6-30P Input from source, and (1) L14-30R, (8) 5-15R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6505	OPTION PW9125 5/6000 PPDM HW, External bypass, hardwired to source and load, L6-30 short cords attached to interface to UPS module Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6506	OPTION PW9125 5/6000 PPDM EURO HW, External bypass, hardwired to source and load, L6-30 short cords attached to interface to UPS module Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6507	OPTION PW9125 5/6000 PPDM, L6-30&L14-30, External Bypass with L6-30P Input from source, and (1) L6-30R, (1) L14-30R & (4) 5-15R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9125-5/6000-OPT	103003214-6508	OPTION PW9125 5/6000 PPDM, DUAL L6-30, External Bypass with L6-30P Input from source, and (2) L6-30R, (4) 5-20R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-OPT	103003214-6509	OPTION PW9125 5/6000 PPDM, DUAL L6-20, External Bypass with L6-30P Input from source, and (2) L6-20R, (4) 5-20R load receptacles Use with 9125 5000g and 6000g ONLY		208	120	5.25(3U) x 17.4 x 28.4 @ 106 lbs	\$1,745
Options	PW9125-5/6000-BATT	103003387-6591	BATTERY MODULE PW9125 5/6000VA EBM 240 Black				5.25(3U) x 17.0 x 24.75 @ 169 lbs	\$1,220
Options	PW9125-5/6000-BATT-	152601472	BATTERY ACCESSORY PW9125 5/6000 48" DC Extension Cable				3 lbs	\$120
Options	PW9125-5/6000-OPT	103003226-001	OPTION PW9125 5/6000 Black Mounting Rail Kit - 4 Post Only					\$140
Options	PW9125-5/6000-OPT	103003227-001	OPTION PW9125 5/6000 Black Pedestal Kit - Adds 6"W to UPS					\$40
Options	PW9125-5/6000-OPT	103003229-6501	OPTION PW9125 5/6000 Black 3 Unit Seismic Kit					\$655
Service	PW9125-5/6000-SERV	2XXGX91256000CX	SERVICE PW9125 5/6000 Domestic - 2 Year Gold Plan	Service Plans				\$250
Service	PW9125-5/6000-SERV	3XXGX91256000CX	SERVICE PW9125 5/6000 Domestic - 3 Year Gold Plan	Service Plans				\$740
Service	PW9125-5/6000-SERV	5XXGX91256000CX	SERVICE PW9125 5/6000 Domestic - 5 Year Gold Plan	Service Plans				\$1,660
Service	PW9125-5/6000-SERV	2GPPX91256000CX	SERVICE PW9125 5/6000 Domestic - 2 Year Gold Plan Plus	Service Plans				\$1,530
Service	PW9125-5/6000-SERV	3GPPX91256000CX	SERVICE PW9125 5/6000 Domestic - 3 Year Gold Plan Plus	Service Plans				\$1,915
Service	PW9125-5/6000-SERV	5GPPX91256000CX	SERVICE PW9125 5/6000 Domestic - 5 Year Gold Plan Plus	Service Plans				\$2,450
Service	PW9125-5/6000-SERV	2OSGX91256000CX	SERVICE PW9125 5/6000 Domestic - 2 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$1,370
Service	PW9125-5/6000-SERV	3OSGX91256000CX	SERVICE PW9125 5/6000 Domestic - 3 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$2,085
Service	PW9125-5/6000-SERV	5OSGX91256000CX	SERVICE PW9125 5/6000 Domestic - 5 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$3,460
Service	PW9125-5/6000-SERV	2OSGP91256000CX	SERVICE PW9125 5/6000 Domestic - 2 Year OnSite (250km, 7X24) Gold Plan Plus	Service Plans				\$2,100
Service	PW9125-5/6000-SERV	3OSGP91256000CX	SERVICE PW9125 5/6000 Domestic - 3 Year OnSite (250km, 7X24) Gold Plan Plus	Service Plans				\$3,540
Service	PW9125-5/6000-SERV	5OSGP91256000CX	SERVICE PW9125 5/6000 Domestic - 5 Year OnSite (250km, 7X24) Gold Plan Plus	Service Plans				\$6,370
Service	PW9125-5/6000-SERV	2XXGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 2 Year Gold Plan	Service Plans				\$145
Service	PW9125-5/6000-SERV	3XXGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 3 Year Gold Plan	Service Plans				\$505
Service	PW9125-5/6000-SERV	5XXGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 5 Year Gold Plan	Service Plans				\$1,260

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9125-5/6000-SERV	2OSGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 2 Year OnSite (250km, 7X24) Gold Plan	Service Plans				\$540
Service	PW9125-5/6000-SERV	3OSGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 3 Year Onsite (250km, 7X24) Gold Plan	Service Plans				\$1,210
Service	PW9125-5/6000-SERV	5OSGX9125B240CX	SERVICE PW9125 5/6000 EBM 240, 5 Year Onsite (250km, 7X24) Gold Plan	Service Plans				\$2,535
Service	PW9125-5/6000-SERV	2OSGP9125B240CX	SERVICE PW9125 5/6000 EBM 240, 2 Year Onsite (250km, 7X24) Gold Plan Plus	Service Plans				\$720
Service	PW9125-5/6000-SERV	3OSGP9125B240CX	SERVICE PW9125 5/6000 EBM 240, 3 Year Onsite (250km, 7X24) Gold Plan Plus	Service Plans				\$1,580
Service	PW9125-5/6000-SERV	5OSGP9125B240CX	SERVICE PW9125 5/6000 EBM 240, 5 Year Onsite (250km, 7X24) Gold Plan Plus	Service Plans				\$3,270
<h2>Powerware 9140</h2> <p>2 Year Limited Warranty, 10 Year pro-rated with registration, \$250,000 protection guarantee</p>								
UPS	PW9140-7500-HW-	103005093-6591	7.5kva / 6kw Selectable 208-240V hardwired Input, hardwired output with (3)IEC-C19 & (2) IEC-C13 Output receptacles. Full Load / Half Load runtime: 7 / 18 minutes, Upgradeable to 10kva	9140RM WebSite	208	208	10.5(6U) x 17.2 x 30 @ 254 lbs	\$6,400
UPS	PW9140-10000-HW-	103004728-6591	10kva / 8kw Selectable 208-240V hardwired Input, hardwired output with (3)IEC-C19 & (2) IEC-C13 Output receptacles. Full Load / Half Load runtime : 5 / 12 minutes	9140RM WebSite	208	208	10.5(6U) x 17.2 x 30 @ 254 lbs	\$6,800
UPS	PW9140-7500-	103005094-6591	7.5kva / 6kw Selectable 208-240V IEC309-60A Input Line cord, IEC309-60A Output Line cord & (4)IEC-C19 Output receptacles. Full Load / Half Load Runtime: 7 18 minutes, Upgradeable to 10kva	9140RM WebSite	208	208	10.5(6U) x 17.2 x 30 @ 265 lbs	\$7,100
UPS	PW9140-10000-	103004727-6591	10kva / 8kw Selectable 208-240V IEC309-60A Input Line cord, IEC309-60A Output Line cord & (4)IEC-C19 Output receptacles. Full Load / Half Load : 5 / 12 minutes	9140RM WebSite	208	208	10.5(6U) x 17.2 x 30 @ 265 lbs	\$7,500
Options	PW9140-OPT	103002739-6501	OPTION PW9140 PPDH-HV-US-P1, 208-240V In / 120V Out External Bypass with IEC-C20 Input from source, and (1) L14-30R, (6) 5-20R load receptacles		208	120	3.5(2U) x 17.0 x 23.9 @ 50 lbs	\$1,155
Options	PW9140-OPT	103002730-6501	OPTION PW9140 PPDH-HV-US-P2, 208-240V In / 120V Out External Bypass with IEC-C20 Input from source, and (1) L5-30R, (6) 5-20R load receptacles		208	120	3.5(2U) x 17.0 x 23.9 @ 50 lbs	\$1,155
Options	PW9140-OPT	103002731-6501	OPTION PW9140 PPDH-HV-US-P3, 208-240V In / 120V Out External Bypass with IEC-C20 Input from source, and (6) 5-20R load receptacles		208	120	3.5(2U) x 17.0 x 23.9 @ 50 lbs	\$1,155

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9140-BATT	103004729-6591	BATTERY MODULE PW9140 3U RackMount EBM				5.25(3U) x 17.2 x 26 @ 179 lbs	\$1,900
Options	PW9140-OPT	106711171-001	OPTION SPARE PW9140 7500 VA Line Cord Power Module Spare					\$3,300
Options	PW9140-OPT	106711171-002	OPTION SPARE PW9140 7500 VA Power Module Spare					\$3,300
Options	PW9140-OPT	106711171-003	OPTION SPARE PW9140 10,000 VA Line Cord Power Module Spare					\$3,900
Options	PW9140-OPT	106711171-004	OPTION SPARE PW9140 10,000VA Power Module Spare					\$3,900
Options	PW9140-OPT	106711172-001	OPTION SPARE PW9140 Battery Module Spare					\$460
Service	PW9140-SERV	2XXGX91400750	SERVICE PW9140 7500VA Domestic - 2 Year Gold Plan	Service Plans				\$790
Service	PW9140-SERV	3XXGX91400750	SERVICE PW9140 7500VA Domestic - 3 Year Gold Plan	Service Plans				\$1,480
Service	PW9140-SERV	5XXGX91400750	SERVICE PW9140 7500VA Domestic - 5 Year Gold Plan	Service Plans				\$2,925
Service	PW9140-SERV	2XXGX91401000	SERVICE PW9140 10000VA Domestic - 2 Year Gold Plan	Service Plans				\$830
Service	PW9140-SERV	3XXGX91401000	SERVICE PW9140 10000VA Domestic - 3 Year Gold Plan	Service Plans				\$1,555
Service	PW9140-SERV	5XXGX91401000	SERVICE PW9140 10000VA Domestic - 5 Year Gold Plan	Service Plans				\$3,065
Service	PW9140-SERV	2OSGX91400750	SERVICE PW9140 7500VA Domestic - 2 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$1,940
Service	PW9140-SERV	3OSGX91400750	SERVICE PW9140 7500VA Domestic - 3 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$2,715
Service	PW9140-SERV	5OSGX91400750	SERVICE PW9140 7500VA Domestic - 5 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$4,280
Service	PW9140-SERV	2OSGX91401000	SERVICE PW9140 10000VA Domestic - 2 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$1,980
Service	PW9140-SERV	3OSGX91401000	SERVICE PW9140 10000VA Domestic - 3 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$2,790
Service	PW9140-SERV	5OSGX91401000	SERVICE PW9140 10000VA Domestic - 5 Year OnSite (250KM, 7X24) Gold Plan	Service Plans				\$4,430
Service	PW9140-SERV	2OSGP91400750	SERVICE PW9140 7500VA Domestic - 2 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$3,065
Service	PW9140-SERV	3OSGP91400750	SERVICE PW9140 7500VA Domestic - 3 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$3,950
Service	PW9140-SERV	5OSGP91400750	SERVICE PW9140 7500VA Domestic - 5 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$5,670
Service	PW9140-SERV	2OSGP91401000	SERVICE PW9140 10000VA Domestic - 2 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$3,160

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9140-SERV	3OSGP91401000	SERVICE PW9140 10000VA Domestic - 3 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$4,090
Service	PW9140-SERV	5OSGP91401000	SERVICE PW9140 10000VA Domestic - 5 Year OnSite (250KM, 7X24) Gold Plan Plus	Service Plans				\$5,890
Extended Power Distribution Module (EPDM)								
Options	PW9125-EPDM	PDM302BBBBE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (4)L6-20R					\$615
Options	PW9125-EPDM	PDM302CCCBE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (3)L6-30R, (1)L6-20R					\$615
Options	PW9125-EPDM	PDM302CCCCE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (4)L6-30R					\$615
Options	PW9125-EPDM	PDM302CKLLE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (1)L6-30R, (1)6-15R2, (2)L6-15R2					\$615
Options	PW9125-EPDM	PDM302CKLNE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output L6-30R, 6-15R2, L6-15R2, 6-20R2					\$615
Options	PW9125-EPDM	PDM302KKKKE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (4)6-15R2					\$615
Options	PW9125-EPDM	PDM302KLLLE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (1)6-15R2, (3)L6-15R2					\$615
Options	PW9125-EPDM	PDM302LLLLLE	OPTION PW9125 Rack/Tower. EPDM w/ L6-30P Input, Output (4)L6-15R2					\$615
Options	PW9125-EPDM	PDM303BBCCE	OPTION PW9125 Rack/Tower. EPDM w/ IEC-C20 Input, Output (2)L6-20R, (2)L6-30R					\$615
Options	PW9125-EPDM	PDM303BCLLE	OPTION PW9125 Rack/Tower. EPDM w/ IEC-C20 Input, Output (1)L6-30R, (1)L6-20R, (2)L6-15R2					\$615
Options	PW9125-EPDM	PDM304EEEEEE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (4)5-20R2					\$615
Options	PW9125-EPDM	PDM304FFEEE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (2)L5-20R2, (2)5-20R2					\$615
Options	PW9125-EPDM	PDM304EEGFE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (2)5-20R2, (1)L5-30R, (1)L5-20R					\$615
Options	PW9125-EPDM	PDM304EFFFE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (1)5-20R2, (3)L5-20R					\$615
Options	PW9125-EPDM	PDM304FFEEE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (2)L5-20R, (2)5-20R2					\$615
Options	PW9125-EPDM	PDM304FFFFE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (4)L5-20R					\$615

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9125-EPDM	PDM304FFGGE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (2)L5-20R, (2)L5-30R					\$615
Options	PW9125-EPDM	PDM304GGGGE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (4)L5-30R					\$615
Options	PW9125-EPDM	PDM304HHHHE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output (4)L5-15R2					\$615
Options	PW9125-EPDM	PDM304VVVVA	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output 5-50R, 5-15R2					\$615
Options	PW9125-EPDM	PDM304VVVVE	OPTION PW9125 Rack/Tower. EPDM w/ L5-30P Input, Output 5-50R, 5-15R2					\$615
Options	PW9125-EPDM	PDM305AAAAE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (4)L14-30R					\$615
Options	PW9125-EPDM	PDM305AACCE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)L14-30R, (2)L6-30R					\$615
Options	PW9125-EPDM	PDM305AABCE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)L14-30R, (1)L6-20R, (1)L6-30R					\$615
Options	PW9125-EPDM	PDM305BBBBE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (4)L6-20R					\$615
Options	PW9125-EPDM	PDM305BEEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (1)L6-20R, (3)5-20R2					\$615
Options	PW9125-EPDM	PDM305CCCEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (3)L6-30R, (1)5-20R2					\$615
Options	PW9125-EPDM	PDM305CCCLE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (3)L6-30R, (1)L6-15R2					\$615
Options	PW9125-EPDM	PDM305CEKLE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output L6-30R, 5-20R2, 6-15R2, L6-15R2					\$615
Options	PW9125-EPDM	PDM305CEEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (1)L6-30R, (3)5-20R2					\$615
Options	PW9125-EPDM	PDM305EEEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (4)5-20R2					\$615
Options	PW9125-EPDM	PDM305EEKKE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)5-20R2, (2)6-15R2					\$615
Options	PW9125-EPDM	PDM305LLEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)L6-15R2, (2)5-20R2					\$615
Options	PW9125-EPDM	PDM305EEEELE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (3)5-20R, (1)L6-15R2					\$615
Options	PW9125-EPDM	PDM305EEKLE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)5-20R2, (1)6-15R2, (1)L6-15R2					\$615
Options	PW9125-EPDM	PDM305FFFFE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (4)L5-20R					\$615
Options	PW9125-EPDM	PDM305HHHKE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (3)L5-15R2, (1)6-15R2					\$615
Options	PW9125-EPDM	PDM305KEEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (1)6-15R2, (3)5-20R2					\$615

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9125-EPDM	PDM305NNEEE	OPTION PW9125 Rack/Tower. EPDM w/ L14-30P Input, Output (2)6-20R2, (2)5-20R2					\$615
Powerware 9155 2 Year Limited, 10 year pro-rated warranty with registration, \$250,000 Load guarantee. Local (250km) 5x8 Start-up, 1 Yr 5x8 corrective maintenance, & 1 PM								
UPS	PW9155-8KVA	K408110000	PW9155 Model 8 32 Battery (2-high), Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	32.2 x 12 x 32.5 @ 350 lbs	\$9,795
UPS	PW9155-8KVA	K408120000	PW9155 Model 8 64 Battery (3-high), Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 586 lbs	\$11,905
UPS	PW9155-8KVA	K408130000	PW9155 Model 8 32 Battery w/Trans. Mod. (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 554 lbs	\$12,970
UPS	PW9155-10KVA	K410110000	PW9155 Model 10 32 Battery (2-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	32.2 x 12 x 32.5 @ 350 lbs	\$10,560
UPS	PW9155-10KVA	K410120000	PW9155 Model 10 64 Battery (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 586 lbs	\$12,675
UPS	PW9155-10KVA	K410130000	PW9155 Model 10 32 Battery w/Trans. Mod. (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 554 lbs	\$13,735
UPS	PW9155-12KVA	K412110000	PW9155 Model 12 32 Battery (2-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	32.2 x 12 x 32.5 @ 350 lbs	\$11,805
UPS	PW9155-12KVA	K412120000	PW9155 Model 12 64 Battery (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 586 lbs	\$13,915

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW9155-12KVA	K412130000	PW9155 Model 12 32 Battery w/Trans. Mod. (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 554 lbs	\$14,975
UPS	PW9155-15KVA	K415110000	PW9155 Model 15 32 Battery (2-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	32.2 x 12 x 32.5 @ 350 lbs	\$13,505
UPS	PW9155-15KVA	K415120000	PW9155 Model 15 64 Battery (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 586 lbs	\$15,615
UPS	PW9155-15KVA	K415130000	PW9155 Model 15 32 Battery w/Trans. Mod. (3-high) , Hardwired Input, See PDM CTO for available Output configurations. Single module Local (5x8) Start-up & 1 year maintenance plan included	9155 WebSite	208	208	47.8 x 12 x 32.5 @ 554 lbs	\$16,680
Options	PW9155-BATT	103004192-5501	BATTERY PW9155 EBM 64 (2-high)				32.2 x 12 x 30.2 @ 484 lbs	\$4,275
Options	PW9155-BATT	103004193-5501	BATTERY PW9155 EBM 96 (3-high)				47.8 x 12 x 30.2 @ 720 lbs	\$6,275
Options	PW9155-MBP	BPE14MBB1A	OPTION Wall-Mounted Maintenance Bypass Module 9155 (8 and 10 kVA models)				21.0 x 14.0 x 6.75 @ 31 lbs	\$1,155
Options	PW9155-MBP	BPE20MBB1A	OPTION Wall-Mounted Maintenance Bypass Module 9155 (12 and 15kva models)				21.0 x 14.0 x 6.75 @ 53 lbs	\$1,725
Options	PW9155-MBP	103004184-5501	OPTION Rear UPS Mount, Maintenance Bypass Module				16.5 x 12 x 7 @ 15 lbs	\$575
Options	PW9155-OPT	103004194-5501	OPTION Powerware 9155 Seismic Kit for 2- and 3- High Models					\$2,050
Options	PW9155-OPT	106711155	OPTION PW9155 Spare Parts Kit					\$7,000
Options	PW9155-OPT	124100017-001	OPTION Parallel Cabinet, Wall-Mount				24.0 x 20.3 x 6.0 @ 57.3 lbs	\$1,750
Options	PW9155-OPT	103004336	OPTION Parallel Hot Sync Can Bridge Card, X-Slot					\$640
Options	PW9155-OPT	CTO = KDM?XXXXXXXX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 1 panel A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R . MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$835

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9155-OPT	CTO = KDM??XXXXX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 2 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R . MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$895
Options	PW9155-OPT	CTO = KDM???XXXXX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 3 panel A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,025
Options	PW9155-OPT	CTO = KDM????XXXXX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 4 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,155
Options	PW9155-OPT	CTO = KDM?????XXXX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 5 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,280
Options	PW9155-OPT	CTO = KDM??????XX0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 6 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R . MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,410
Options	PW9155-OPT	CTO = KDM??????X0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 7 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,535
Options	PW9155-OPT	CTO = KDM????????0	OPTION Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount) with 8 panels A=(2)5-15R, B=(2)5-20R UL, C=(2)5-20R CSA, D=(2)6-15R, E=(2)6-20R, F=(2)L5-15R, G=(1)L5-20R, H=(1)L5-30R, I=(2)L6-15R, J=(1)L6-20R, K=(1)L6-30R, L=(1)L14-20R, M=(1)L14-30R . MAX 5 Locking type				16.5 x 12 x 7 @ 25 lbs	\$1,665
Service	PW9155-SERV		SERVICE Upgrade to (7 x 24) Local Start up, Domestic models 8-15kVA					\$640
Service	PW9155-SERV		SERVICE 2-Year, Local, Power Trust (5 x 8) , Domestic models 8-15 KVA					\$1,360

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9155-SERV		SERVICE 3-Year, Local, Power Trust (5 x 8) , Domestic models 8-15 KVA					\$2,720
Service	PW9155-SERV		SERVICE 1-Year, Local, Power Trust Preferred (7 x 24) , Domestic models 8-15 KVA					\$640
Service	PW9155-SERV		SERVICE 2-Year, Local, Power Trust Preferred (7 x 24) , Domestic models 8-15 KVA					\$1,680
Service	PW9155-SERV		SERVICE 3-Year, Local, Power Trust Preferred (7 x 24) , Domestic models 8-15 KVA					\$3,360
Battery	PW9155-BATT	58700036-001	BATTERY Replacement PW9155 (per Battery Module), 2 String				7 lbs	\$40
Powerware 9170+ 2 Year Limited, 10 year pro-rated warranty with registration, \$250,000 protection guarantee. Local (250km) 5x8 Start-up								
UPS	PW9170+	ASY-0674	Powerware 9170+ Universal Power Module 208-240V Input and Output, 3kva/2.1kw	9170+ WebSite			4.23 x 14.12 x 15.25 @ 17 lbs	\$2,060
UPS	PW9170+	ASY-0673	Powerware 9170+ Split Phase Power Module 120/208V or 120/240V Input and Output 3kva/2.5kw	9170+ WebSite			4.23 x 14.12 x 15.25 @ 17 lbs	\$2,165
UPS	PW9170+	ASY-0529	Powerware 9170+ Battery Module	9170+ WebSite			4.23 x 7.01 x 14.75 @ 30 lbs	\$245
UPS	PW9170+	ASY-0675	Powerware 9170+ 20 Amp Battery Charger Module	9170+ WebSite			4.23 x 14.12 x 15.25 @ 17 lbs	\$3,075
UPS	PW9170+	0660C030AAAAAAAI	Powerware 9170+ 3-Slot Enclosure (Black) castor base not included	9170+ WebSite			17.8 x 17.0 x 25.4 @ 66 lbs	\$2,900
UPS	PW9170+	0660C060AAAAAAAI	Powerware 9170+ 6-Slot Enclosure (Black) castor base not included	9170+ WebSite			31.5 x 17.0 x 25.4 @ 103 lbs	\$3,205
UPS	PW9170+	0660C090AAAAAAAI	Powerware 9170+ 9-Slot Enclosure (Black) castor base included	9170+ WebSite			47.0 x 24.0 x 28.4 @ 158 lbs	\$3,525
UPS	PW9170+	0660C120AAAAAAAI	Powerware 9170+ 12-Slot Enclosure (Black) castor base included	9170+ WebSite			60.7 x 24.0 x 28.4 @ 196 lbs	\$3,730
UPS	PW9170+RM	0660C092AAAAAAAI	Powerware 9170+ 9-Slot rack-mount enclosure (Black)	9170+ WebSite			45.0 x 17.0 x 25.4 @ 158 lbs	\$3,795
UPS	PW9170+RM	0660C122AAAAAAAI	Powerware 9170+ 12-Slot rack-mount enclosure (Black)	9170+ WebSite			58.0 x 17.0 x 25.4 @ 196 lbs	\$4,015
Options	PW9170+RM	ASY-0547	OPTION Rackmount Kit (3 and 6 slot enclosures only)	9170+ WebSite			15 lbs	\$195
Options	PW9170+OPT	ASY-0527	OPTION Caster Kit (3 and 6 slot enclosures only)	9170+ WebSite			9 lbs	\$155

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9170+OPT	ASY-0525	OPTION External Battery Connection Option	9170+ WebSite			8 lbs	\$290
Options	PW9170+OPT	ASY-0548	OPTION Floor Anchoring Kit	9170+ WebSite			6 lbs	\$65
Options	PW9170+OPT	ASY-0612	OPTION 6 slot External Battery Enclosure (Black) caster base not included	9170+ WebSite			31.5 x 17.0 x 25.4 @ 93 lbs	\$1,410
Options	PW9170+OPT	ASY-0737	OPTION 9 slot External Battery Enclosure (Black) caster base included	9170+ WebSite			47.0 x 24.0 x 28.4 @ 148 lbs	\$1,970
Options	PW9170+OPT	ASY-0738	OPTION 12 slot External Battery Enclosure (Black) caster base included	9170+ WebSite			60.7 x 24.0 x 28.4 @ 186 lbs	\$2,395
Options	PW9170+OPT	ASY-0739	OPTION 12-Slot enclosure w/AC for charger option (Black) caster base included	9170+ WebSite			60.7 x 24.0 x 28.4 @ 196 lbs	\$3,100
Options	PW9170+OPT	ASY-0749	OPTION 9-slot rack-mount external battery enclosure (Beige)	9170+ WebSite			45.0 x 17.0 x 25.4 @ 148 lbs	\$2,255
Options	PW9170+OPT	ASY-0750	OPTION 12-slot rack-mount external battery enclosure (Beige)	9170+ WebSite			58.0 x 17.0 x 25.4 @ 186 lbs	\$2,675
Options	PW9170+OPT	ASY-0753	OPTION 12-slot rack-mount external battery enclosure w/AC charger option (Beige)	9170+ WebSite			58.0 x 17.0 x 25.4 @ 196 lbs	\$3,380
Options	PW9170+OPT	BPE14BBM1A	OPTION 6-slot enclosure (Break-Before-Make)	9170+ WebSite			21.0 x 14.0 x 6.75 @ 31 lbs	\$950
Options	PW9170+OPT	BPE14MBB1A	OPTION 6-slot enclosure (Make-Before-Break)	9170+ WebSite			21.0 x 14.0 x 6.75 @ 31 lbs	\$1,155
Options	PW9170+OPT	BPE20BBM1A	OPTION 9- & 12-slot enclosure (Break-Before-Make)	9170+ WebSite			21.0 x 14.0 x 6.75 @ 51 lbs	\$1,555
Options	PW9170+OPT	BPE20MBB1A	OPTION 9- & 12-slot enclosure (Make-Before-Break)	9170+ WebSite			21.0 x 14.0 x 6.75 @ 53 lbs	\$1,725
Options	PW9170+OPT	INPUT CTO Digit = C	OPTION L6-30P, Universal Input Plug. Limits chasis to maximum 24A and 6kva N+1	9170+ WebSite				\$140
Options	PW9170+OPT	INPUT CTO Digit = F	OPTION L14-20P, Split Phase Input Plug Limits chasis to maximum 16A and 3kva N+1	9170+ WebSite				\$140
Options	PW9170+OPT	INPUT CTO Digit = G	OPTION L14-30P, Split Phase Input Plug Limits chasis to maximum 24A and 6kva N+1	9170+ WebSite				\$170
Options	PW9170+OPT	INPUT CTO Digit = H	OPTION 14-50P, Split Phase Input Plug Limits chasis to maximum 40A and 9kva N+1	9170+ WebSite				\$195
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = C	OPTION HV IEC320 10A, Universal Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$80
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = D	OPTION 5-15 duplex, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$65

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = E	OPTION 5-20 duplex, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$65
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = F	OPTION 6-15 duplex, All Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = G	OPTION 6-20 duplex, All Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = J	OPTION L5-15 twist lock duplex, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$65
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = K	OPTION L5-20 twist lock, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$65
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = L	OPTION L5-30 twist lock, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$80
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = M	OPTION L6-15 twist lock duplex, Split Phase Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$105
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = N	OPTION L6-20 twist lock, All Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = O	OPTION L6-30 twist lock, All Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = P	OPTION Shuko, Universal Output Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = R	OPTION L14-30 twist lock, Split Phase Outpt Receptacles, 1Bay, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = W	OPTION 3 x 5-15 duplex, Split Phase Output Receptacles, 2Bays, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Options	PW9170+OPT	RECEPTACLE CTO DIGIT = X	OPTION 3 x 5-20 duplex, Split Phase Output Receptacles, 2Bays, max 3 different types, 3Slot=4bays, 6&9Slot=8 bays, 12Slot=12bays	9170+ WebSite				\$90
Service	PW9170+SERV	2XXGP91703SLTCX	SERVICE 2-Year Gold Plan Plus, 9170/9170+ 3-Slot Enclosu	Service Plans				\$805
Service	PW9170+SERV	3XXGP91703SLTCX	SERVICE 3-Year Gold Plan Plus, 9170/9170+ 3-Slot Enclosu	Service Plans				\$1,110
Service	PW9170+SERV	5XXGP91703SLTCX	SERVICE 5-Year Gold Plan Plus, 9170/9170+ 3-Slot Enclosu	Service Plans				\$1,465
Service	PW9170+SERV	2XXGP91706SLTCX	SERVICE 2-Year Gold Plan Plus, 9170/9170+ 6-Slot Enclosu	Service Plans				\$915
Service	PW9170+SERV	3XXGP91706SLTCX	SERVICE 3-Year Gold Plan Plus, 9170/9170+ 6-Slot Enclosu	Service Plans				\$1,605

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9170+SERV	5XXGP91706SLTCX	SERVICE 5-Year Gold Plan Plus, 9170/9170+ 6-Slot Enclosu	Service Plans				\$2,435
Service	PW9170+SERV	2XXGP91709SLTCX	SERVICE 2-Year Gold Plan Plus, 9170/9170+ 9-Slot Enclosu	Service Plans				\$1,010
Service	PW9170+SERV	3XXGP91709SLTCX	SERVICE 3-Year Gold Plan Plus, 9170/9170+ 9-Slot Enclosu	Service Plans				\$2,040
Service	PW9170+SERV	5XXGP91709SLTCX	SERVICE 5-Year Gold Plan Plus, 9170/9170+ 9-Slot Enclosu	Service Plans				\$3,280
Service	PW9170+SERV	2XXGP917012SLCX	SERVICE 2-Year Gold Plan Plus, 9170/9170+ 12-Slot Enclos	Service Plans				\$1,115
Service	PW9170+SERV	3XXGP917012SLCX	SERVICE 3-Year Gold Plan Plus, 9170/9170+ 12-Slot Enclos	Service Plans				\$2,530
Service	PW9170+SERV	5XXGP917012SLCX	SERVICE 5-Year Gold Plan Plus, 9170/9170+ 12-Slot Enclos	Service Plans				\$4,250
Service	PW9170+SERV	2OSGX91703SLTCX	SERVICE 2-Year Local On-Site Gold Plan, 9170/9170+ 3-Slo	Service Plans				\$1,010
Service	PW9170+SERV	3OSGX91703SLTCX	SERVICE 3-Year Local On-Site Gold Plan, 9170/9170+ 3-Slo	Service Plans				\$1,510
Service	PW9170+SERV	5OSGX91703SLTCX	SERVICE 5-Year Local On-Site Gold Plan, 9170/9170+ 3-Slo	Service Plans				\$2,230
Service	PW9170+SERV	2OSGX91706SLTCX	SERVICE 2-Year Local On-Site Gold Plan, 9170/9170+ 6-Slo	Service Plans				\$1,120
Service	PW9170+SERV	3OSGX91706SLTCX	SERVICE 3-Year Local On-Site Gold Plan, 9170/9170+ 6-Slo	Service Plans				\$2,005
Service	PW9170+SERV	5OSGX91706SLTCX	SERVICE 5-Year Local On-Site Gold Plan, 9170/9170+ 6-Slo	Service Plans				\$3,195
Service	PW9170+SERV	2OSGX91709SLTCX	SERVICE 2-Year Local On-Site Gold Plan, 9170/9170+ 9-Slo	Service Plans				\$1,215
Service	PW9170+SERV	3OSGX91709SLTCX	SERVICE 3-Year Local On-Site Gold Plan, 9170/9170+ 9-Slo	Service Plans				\$2,440
Service	PW9170+SERV	5OSGX91709SLTCX	SERVICE 5-Year Local On-Site Gold Plan, 9170/9170+ 9-Slo	Service Plans				\$4,045
Service	PW9170+SERV	2OSGX917012SLCX	SERVICE 2-Year Local On-Site Gold Plan, 9170/9170+ 12-Sl	Service Plans				\$1,320
Service	PW9170+SERV	3OSGX917012SLCX	SERVICE 3-Year Local On-Site Gold Plan, 9170/9170+ 12-Sl	Service Plans				\$2,935
Service	PW9170+SERV	5OSGX917012SLCX	SERVICE 5-Year Local On-Site Gold Plan, 9170/9170+ 12-Sl	Service Plans				\$5,015
Service	PW9170+SERV	2OSGP91703SLTCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$1,510
Service	PW9170+SERV	3OSGP91703SLTCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$2,530
Service	PW9170+SERV	5OSGP91703SLTCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$4,150
Service	PW9170+SERV	2OSGP91706SLTCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$1,615
Service	PW9170+SERV	3OSGP91706SLTCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$3,025
Service	PW9170+SERV	5OSGP91706SLTCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$5,120
Service	PW9170+SERV	2OSGP91709SLTCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$1,710
Service	PW9170+SERV	3OSGP91709SLTCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$3,460
Service	PW9170+SERV	5OSGP91709SLTCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$5,970
Service	PW9170+SERV	2OSGP917012SLCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$1,815
Service	PW9170+SERV	3OSGP917012SLCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$3,955
Service	PW9170+SERV	5OSGP917012SLCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 9170/9170+	Service Plans				\$6,935
Service	PW9170+SERV	2XXGP9170B6SLCX	SERVICE 2-Year Gold Plan Plus, 6-Slot EBC	Service Plans				\$290
Service	PW9170+SERV	3XXGP9170B6SLCX	SERVICE 3-Year Gold Plan Plus, 6-Slot EBC	Service Plans				\$1,295
Service	PW9170+SERV	5XXGP9170B6SLCX	SERVICE 5-Year Gold Plan Plus, 6-Slot EBC	Service Plans				\$2,430
Service	PW9170+SERV	2XXGP9170B9SLCX	SERVICE 2-Year Gold Plan Plus, 9-Slot EBC	Service Plans				\$390
Service	PW9170+SERV	3XXGP9170B9SLCX	SERVICE 3-Year Gold Plan Plus, 9-Slot EBC	Service Plans				\$1,960
Service	PW9170+SERV	5XXGP9170B9SLCX	SERVICE 5-Year Gold Plan Plus, 9-Slot EBC	Service Plans				\$3,740
Service	PW9170+SERV	2XXGP9170B12SCX	SERVICE 2-Year Gold Plan Plus, 12-Slot EBC	Service Plans				\$490
Service	PW9170+SERV	3XXGP9170B12SCX	SERVICE 3-Year Gold Plan Plus, 12-Slot EBC	Service Plans				\$2,625

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
Service	PW9170+SERV	5XXGP9170B12SCX	SERVICE 5-Year Gold Plan Plus, 12-Slot EBC	Service Plans				\$5,050
Service	PW9170+SERV	2OSGX9170B6SLCX	SERVICE 2-Year Local On-Site Gold Plan, 6-Slot EBC	Service Plans				\$355
Service	PW9170+SERV	3OSGX9170B6SLCX	SERVICE 3-Year Local On-Site Gold Plan, 6-Slot EBC	Service Plans				\$1,385
Service	PW9170+SERV	5OSGX9170B6SLCX	SERVICE 5-Year Local On-Site Gold Plan, 6-Slot EBC	Service Plans				\$2,600
Service	PW9170+SERV	2OSGX9170B9SLCX	SERVICE 2-Year Local On-Site Gold Plan, 9-Slot EBC	Service Plans				\$455
Service	PW9170+SERV	3OSGX9170B9SLCX	SERVICE 3-Year Local On-Site Gold Plan, 9-Slot EBC	Service Plans				\$2,050
Service	PW9170+SERV	5OSGX9170B9SLCX	SERVICE 5-Year Local On-Site Gold Plan, 9-Slot EBC	Service Plans				\$3,910
Service	PW9170+SERV	2OSGX9170B12SCX	SERVICE 2-Year Local On-Site Gold Plan, 12-Slot EBC	Service Plans				\$560
Service	PW9170+SERV	3OSGX9170B12SCX	SERVICE 3-Year Local On-Site Gold Plan, 12-Slot EBC	Service Plans				\$2,715
Service	PW9170+SERV	5OSGX9170B12SCX	SERVICE 5-Year Local On-Site Gold Plan, 12-Slot EBC	Service Plans				\$5,220
Service	PW9170+SERV	2OSGP9170B6SLCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 6-Slot EBC	Service Plans				\$400
Service	PW9170+SERV	3OSGP9170B6SLCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 6-Slot EBC	Service Plans				\$1,510
Service	PW9170+SERV	5OSGP9170B6SLCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 6-Slot EBC	Service Plans				\$2,805
Service	PW9170+SERV	2OSGP9170B9SLCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 9-Slot EBC	Service Plans				\$505
Service	PW9170+SERV	3OSGP9170B9SLCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 9-Slot EBC	Service Plans				\$2,175
Service	PW9170+SERV	5OSGP9170B9SLCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 9-Slot EBC	Service Plans				\$4,115
Service	PW9170+SERV	2OSGP9170B12SCX	SERVICE 2-Year Local On-Site Gold Plan Plus, 12-Slot EBC	Service Plans				\$605
Service	PW9170+SERV	3OSGP9170B12SCX	SERVICE 3-Year Local On-Site Gold Plan Plus, 12-Slot EBC	Service Plans				\$2,840
Service	PW9170+SERV	5OSGP9170B12SCX	SERVICE 5-Year Local On-Site Gold Plan Plus, 12-Slot EBC	Service Plans				\$5,425

Powerware 9170+ Pre-Configured Systems

2 Year Limited, 10 year pro-rated warranty with registration, \$250,000 protection guarantee. Local (250km) 5x8 Start-up

UPS	PW9170+PCFG	PW3S3K	3kVA expandable with 1 open slot. Hardwire in/out. Includes 1 PM, 2 BM, caster base added, 3 Slot enclosure	9170+ WebSite			19.5 x 17.0 x 25.5 @ 155 lbs	\$5,700
UPS	PW9170+PCFG	PW6S3K	3kVA expandable with 4 open slots. Hardwire in/out Includes 1 PM, 2 BM, caster base added , 6 Slot enclosure	9170+ WebSite			33.3 x 17.0 x 25.5 @ 155 lbs	\$6,005
UPS	PW9170+PCFG	PW6S6K	6kVA expandable with 2 open slots. Hardwire in/out Includes 2 PM, 4 BM, caster base added, 6 Slot enclosure	9170+ WebSite			33.3 x 17.0 x 25.5 @ 232 lbs	\$8,650
UPS	PW9170+PCFG	PW6S9K	9kVA expandable with additional enclosure. Hardwire in/out Includes 3 PM, 6 BM, caster base added, 6 Slot enclosure	9170+ WebSite			33.3 x 17.0 x 25.5 @ 346 lbs	\$11,295

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW9170+PCFG	PW9S9K	9kVA expandable with 3 open slots. Hardwire in/out Includes 3 PM, 6 BM, caster base, 9 Slot enclosure	9170+ WebSite			47.0 x 24.0 x 28.5 @ 389 lbs	\$11,465
UPS	PW9170+PCFG	PW12S9K	9kVA expandable with 6 open slots. Hardwire in/out Includes 3 PM, 6 BM, caster base, 12 Slot enclosure	9170+ WebSite			60.7 x 24.0 x 28.5 @ 427 lbs	\$11,670
UPS	PW9170+PCFG	PW12S12K	12kVA expandable with 4 open slots. Hardwire in/out Includes 4 PM, 8 BM, caster base, 12 Slot enclosure	9170+ WebSite			60.7 x 24.0 x 28.5 @ 504 lbs	\$14,315
UPS	PW9170+PCFG	PW12S15K	15kVA expandable with 2 open slots. Hardwire in/out Includes 5 PM, 10 BM, caster base, 12 Slot enclosure	9170+ WebSite			60.7 x 24.0 x 28.5 @ 581 lbs	\$16,960
UPS	PW9170+PCFG	PW12S18K	18kVA expandable with additional enclosure. Hardwire in/out Includes 6 PM, 12 BM, caster base, 12 Slot enclosure	9170+ WebSite			60.7 x 24.0 x 28.5 @ 658 lbs	\$19,605
UPS	PW9170+PCFG	PW6S3K-PD	3kVA expandable with 4 open slots. Hardwire Input, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			33.3 x 17.0 x 25.5 @ 192 lbs	\$6,535
UPS	PW9170+PCFG	PW6S6K-PD	6kVA expandable with 2 open slots. Hardwire Input, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			33.3 x 17.0 x 25.5 @ 269 lbs	\$9,180
UPS	PW9170+PCFG	PW6S9K-PD	9kVA expandable with additional cabinet. Hardwire Input, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			33.3 x 17.0 x 25.5 @ 346 lbs	\$11,825
UPS	PW9170+PCFG	PW9S9K-PD	9kVA expandable with 3 open slots. Hardwire Input, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			47.0 x 24.0 x 28.5 @ 389 lbs	\$11,995
UPS	PW9170+PCFG	PW12S9K-PD	9kVA expandable with 6 open slots. Hardwire Input, Output receptacles: (3) L14-30R, (3) L6-30R, (12) 5-20R	9170+ WebSite			60.7 x 24.0 x 28.5 @ 427 lbs	\$12,375
UPS	PW9170+PCFG	PW12S12K-PD	12kVA expandable with 4 open slots. Hardwire Input, Output receptacles: (3) L14-30R, (3) L6-30R, (12) 5-20R	9170+ WebSite			60.7 x 24.0 x 28.5 @ 504 lbs	\$15,020
UPS	PW9170+PCFG	PW12S15K-PD	15kVA expandable with 2 open slots. Hardwire Input, Output receptacles: (3) L14-30R, (3) L6-30R, (12) 5-20R	9170+ WebSite			60.7 x 24.0 x 28.5 @ 581 lbs	\$17,660
UPS	PW9170+PCFG	PW12S18K-PD	18kVA expandable with additional enclosure. Hardwire Input, Output receptacles: (3) L14-30R, (3) L6-30R, (12) 5-20R	9170+ WebSite			60.7 x 24.0 x 28.5 @ 658 lbs	\$20,315
UPS	PW9170+PCFG	PW3S3K-LPD	3kVA expandable 1 open slot. L14-30P Input Line cord, Output receptacles: (1) L14-30R, (1) L6-30R, (4) 5-20R	9170+ WebSite			19.5 x 17.0 x 25.5 @ 155 lbs	\$7,315

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
UPS	PW9170+PCFG	PW6S3K-LPD	3kVA expandable with 4 open slots, 14-50P Input Line cord, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			33.3 x 17.0 x 25.5 @ 192 lbs	\$6,725
UPS	PW9170+PCFG	PW6S6K-LPD	6kVA expandable with 2 open slots. 14-50P Input Line cord, Output receptacles: (2) L14-30R, (2) L6-30R, (12) 5-20R	9170+ WebSite			33.3 x 17.0 x 25.5 @ 269 lbs	\$9,370

Powerware Connectivity Products

CONN		116750221-001	ConnectUPS-X Web/SNMP/xHub Card	Connectivity WebSite				\$385
CONN		116750222-001	ConnectUPS-BD Web/SNMP Card	Connectivity WebSite				\$385
CONN		116750223-001	ConnectUPS-E Web/SNMP Card	Connectivity WebSite				\$565
CONN		05146288-5501	ConnectUPS-MX Web/SNMP Card	Connectivity WebSite				\$750
CONN		116750224-001	Environmental Monitoring Probe (EMP) (Requires ConnectUPS Web/SNMP device)	Connectivity WebSite				\$260
CONN		05147063	Expansion Chassis - (Modbus Card included standard)	Connectivity WebSite				\$1,925
CONN		103002510-5501	Modbus Card - (Included standard in Expansion Chassis)	Connectivity WebSite				\$770
CONN		05146447-5502	Multi-Server Card	Connectivity WebSite				\$770
CONN		124102022-002	Slimline serial cable (6 ft. DB9 - DB9)	Connectivity WebSite				\$65
CONN		05146508-5501	USB Card – Provides USB interface between UPS and PC	Connectivity WebSite				\$130
CONN		1019017	X-Slot Modem Card (requires Expansion Chassis & ConnectUPS-MX)	Connectivity WebSite				\$385
CONN		1014018	Relay Interface Card - BD (IBM AS/400 Compatible)	Connectivity WebSite				\$170
CONN		476100028-005	Relay Card to RIA Cable	Connectivity WebSite				\$80
CONN		103001185-002	Relay Interface Cable	Connectivity WebSite				\$600
CONN		1018460	X-Slot Relay Interface Card - X-Slot (IBM AS/400 Compatible).	Connectivity WebSite				\$170
CONN		05142494	IBM AS/400 model 9406 DB15-DB9 25ft	Connectivity WebSite				\$65
CONN		05143382	IBM AS/400 model 9406 DB15-DB9 75ft	Connectivity WebSite				\$115
CONN		05142506	IBM AS/400 model 9404 DB15-DB15 25ft	Connectivity WebSite				\$65
CONN		05143383	IBM AS/400 model 9404 DB15-DB15 75ft	Connectivity WebSite				\$115
CONN		103003055	Industrial Relay and Display Drive Card; 5A @ 250V	Connectivity WebSite				\$385
CONN		103002687-001	Remote Monitor Display Panel	Connectivity WebSite				\$385
CONN		05146745-0005	Software Suite CD-ROM	Connectivity WebSite				\$260

Type	Part-Number	Product Code	MODEL with DESCRIPTION	Web Page	Volt. Input	Volt. Output	Dimensions HxWxD in lbs	*MSRP
------	-------------	--------------	------------------------	----------	-------------	--------------	-------------------------	-------

*Prices in Canadian dollars with taxes and freight extra. Dealers may sell for less